# Audacious - OLD, PLEASE USE GITHUB DISCUSSIONS/ISSUES - Bug #556

# audacious.pc.in missing -std=c++11

July 04, 2015 04:23 - Martin Kelly

Status: Start date: July 04, 2015 Rejected **Priority:** Due date: Minor % Done: 0% Assignee: Category: **Estimated time:** 0.00 hour Target version: Affects version: 3.7-alpha1

### Description

Hi,

I'm trying to compile the imms audacious plugin against the latest audacious (d55d76a, slightly after audacious-3.7-alpha1). While doing this, I'm getting a failure in the ./configure step because libaudcore requires C++ 2011 support but doesn't ask for it in its PKG\_CONFIG. The attached patch corrects this; assuming you see no issues, please merge it.

#### Failure:

configure: 5966: g++-c-g-O2-pthread-I/home/martin/Desktop/audacious/include-I/usr/include/gtk-3.0-I/usr/include/at-spi2-atk/2.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/usr/include/gtk-3.0-l/

- -l/usr/include/at-spi-2.0 -l/usr/include/dbus-1.0 -l/usr/lib/x86 64-linux-gnu/dbus-1.0/include -l/usr/include/gtk-3.0
- -l/usr/include/gio-unix-2.0/ -l/usr/include/cairo -l/usr/include/pango-1.0 -l/usr/include/harfbuzz -l/usr/include/pango-1.0
- -l/usr/include/atk-1.0 -l/usr/include/cairo -l/usr/include/pixman-1 -l/usr/include/freetype2 -l/usr/include/libpng12
- -l/usr/include/gdk-pixbuf-2.0 -l/usr/include/libpng12 -l/usr/include/glib-2.0 -l/usr/lib/x86 64-linux-gnu/glib-2.0/include
- -l/usr/include/dbus-1.0 -l/usr/lib/x86\_64-linux-gnu/dbus-1.0/include -l/usr/include/glib-2.0 -l/usr/lib/x86\_64-linux-gnu/glib-2.0/include conftest.cpp >&5

In file included from /usr/include/c++/4.9/type traits:35:0,

from /home/martin/Desktop/audacious/include/libaudcore/templates.h:24,

from /home/martin/Desktop/audacious/include/libaudcore/index.h:23,

from /home/martin/Desktop/audacious/include/libaudcore/plugins.h:23,

from /home/martin/Desktop/audacious/include/libaudcore/plugin.h:25,

from conftest.cpp:66:

/usr/include/c++/4.9/bits/c++0x\_warning.h:32:2: error: #error This file requires compiler and library support for the ISO C++ 2011 standard. This support is currently experimental, and must be enabled with the -std=c++11 or -std=gnu++11 compiler options.

# History

## #1 - July 04, 2015 14:53 - John Lindgren

- Status changed from New to Rejected

I think adding -std=c++11 to audacious.pc is a bad idea. In particular, it would break any plugins (or other library headers) that might need to be compiled with e.g. -std=gnu++11 or -std=c++14. Just add -std=c++11 to your CXXFLAGS for the plugin.

## #2 - July 04, 2015 21:08 - Martin Kelly

That's true; I hadn't thought about it. Unfortunately, we'll implicitly requiring C++ 11 for anyone using the audacious libraries, and breaking them if their code doesn't work with it. I don't see a good solution to this.

### #3 - July 05, 2015 07:44 - John Lindgren

Adding "-std=c++11" to a Makefile takes less than a minute, and in my experience, most C++98/03 will compile as C++11 without any changes. So I don't see the problem with requiring C++11.

Obviously, for plugins that are actually written in a different language (not C++), it will be necessary to have some "bridge" code: probably just a single C++ file that calls out to the rest of the plugin. This is nothing new; in Audacious 3.5 and earlier, our headers required C99, and any plugin written in C++ had to have one C file with the plugin declaration in it, which would call out to a bunch of extern "C" functions in the rest of the plugin.

May 07, 2025 1/2

add-std-c-11-to-pkgconfig.patch 786 Bytes July 04, 2015 Martin Kelly

May 07, 2025 2/2