

Audacious - OLD, PLEASE USE GITHUB DISCUSSIONS/ISSUES - Feature #610

Please consider adding a --with-audacious= option to specify an absolute directory

January 04, 2016 08:37 - robert heiler

<b>Status:</b>	Rejected	<b>Start date:</b>	January 04, 2016
<b>Priority:</b>	Minor	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>			
<b>Affects version:</b>	3.7.1		
<b>Description</b>			
Hello there.			
I compile audacious into a standalone versioned directory at:			
/Programs/Audacious/3.7.1/			
The compilation was without error, Audacious compiled successfully.			
Now, when I try to compile audacious-plugins 3.7.1 it tells me that it can not find Audacious. Most software will be installed at /usr/lib - I have symlinked all libraries to /System/Libraries though.			
I assume that audacious-plugins could be able to find the required files, if it is to know to use /Programs/Audacious/3.7.1/ as the prefix (rather than, let's say, /usr/).			
Perhaps a proper way to enable this would be to add a --with-audacious feature, in order to allow audacious-plugins to find the above.			
Thank you for reading! Great work with audacious, also very nice and clean issue tracker here, better than trac. :D			

History

#1 - January 04, 2016 08:38 - robert heiler

To clarify the above, what I mean with the:

--with-audacious

was actually this option:

--with-audacious=/Programs/Audacious/3.7.1

#2 - January 04, 2016 19:02 - John Lindgren

- Status changed from New to Rejected

Not necessary. See [#186](#). Ask on the forums if you still need help.