

## Audacious - OLD, PLEASE USE GITHUB DISCUSSIONS/ISSUES - Feature #841

### command line option to start playing if not playing

November 03, 2018 11:25 - K. Knut

<b>Status:</b>	Rejected	<b>Start date:</b>	November 03, 2018
<b>Priority:</b>	Minor	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	core	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>			
<b>Affects version:</b>	3.9		
<b>Description</b> <p>I want to enqueue files from the file browser and start playing if the player is currently not playing. I use the --enqueue option. Next I want to start playing if the player is not playing and keep playing if the player is already playing. Unfortunately, according to the man page, the --play option restarts the currently playing song (same for Ctrl+Enter).</p> <p>In my opinion the --play option should only ensure playing. Re-playing is a misleading result, maybe a suitable option should be --replay (but then it is not clear if the song or the playlist is meant)</p>			

### History

#### #1 - November 03, 2018 22:19 - Michael Schwendt

You could script your desired behaviour with the separate "audtool" program.

#### #2 - November 11, 2018 01:00 - John Lindgren

Yep, this is pretty simple with audtool:

```
if ! audtool playback-playing ; then audtool playback-play ; fi
```

I don't think we need a new command line option for this.

#### #3 - November 13, 2021 16:59 - John Lindgren

- Status changed from New to Rejected

Closing a few feature requests that have seen no activity in over 3 years.